Subject index

Al zoning, 729
Abukuma-terrane, 67
accretionary wedge, 475
affinity, 231
albite-lawsonite facies, 117, 128
albite porphyroblast, 711
aliminium silicates, 223
Alpine Schist, 395
Alps, 591
anatexis, 425
andalusite, 379
Antarctica, 541
anticlockwise *P-T* path, 491, 819
Arunta Block, 363
Arunta Inlier, 749
Azeotropes, 169

b cell parameter white micas, 531
biotite, 395
Bohemian Massif, 563

Calabrian Arc, 247
Ca-schermak, 675
cation substitutions, 625
charnockite, 607
Chewore Hills, 809
Chichibu belt, 107
CHIME geochronology, 23
China, 213
circum-Pacific region, 67
clinopyroxene, 675
contact metamorphism, 749
continent-continent collision, 819
contractional tectonism, 687
cordierite, 795
cordierite isograd, 39
corona, 607
coronas, 231, 345
Corundum-quartz, 189
crenulation cleavage, 711
crustal thickening, 729

Dabie Mountains, 213
Dahomeyides, 345
decompression, 641
deformation, 457, 591
dehydration, 457
denudation history, 23
desilication, 795
differential stress, 457
diffusion of oxygen isotopes, 223
diffusion, 231, 345, 607
dissolution-precipitation creep, 415

Eastern Ghats, India, 189
eclogite facies, 447
eclogite, 563, 591, 641
episodic garnet growth, 711
episodic growth, 767
European Variscides, 403
exhumation, 83

Fiordland, 149
Fleur de Lys Supergroup, 711
fluid flow, 749
fluid flux, 197
fluid inclusions, 247
fluid infiltration, 197
fractionations, 625

garnet growth zoning, 213
garnet peridotite, 563
garnet porphyroblast, 711
garnet zoning, 67
garnet, 97, 395, 625
geochronology, 447, 511
geombarometry, 675
geothermobarometry, 475
Gibbs free energy, 591
granulite, 231, 281, 541, 563, 607, 641, 675
granulites, 511
grossular zoning, 97

hematite, 415
high pressure, 809
high and low temperature limits of PA facies, 117
high pressure/low temperature metamorphism, 247
high *P-T* granulites, 189
high-pressure metamorphism, 563
high-P-T metamorphism, 129
high-*T* decompression, 189
high-*T* granulite, 213
high-temperature loading, 67
Higo metamorphic terrane in Japan, 53
hydrogen isotopes, 749

illite component, 39
illite crystallinity, 531
isograd, 395
isothermal decompression, 819

KFMASH pseudosections, 379
KFMASH, 363
kyanite, 379
kyanite-muscovite aggregates, 379

Lewisian Complex, 819
low *P*/*T* type metamorphism, 3
low-grade metamorphism, 531
low-*P*/high-*T* metamorphism, 363
low-pressure high-temperature metamorphism, 281
low-pressure type, 39
lower crust, 729

magnetite, 415
mass transfer, 197
melting, 363
metamorphic fluid inclusions, 259
metamorphic pressure, 83
metamorphic reactions, 345
metamorphism, 591

© Blackwell Science Inc., 0263-4929/98/$14.00

metapelitic assemblages, 169
microstructure, 83
migmatite, 3, 363, 425
Mikabu belt, 107
mineral analyses, 491
mineral reactions, 457
monazite, 23, 149
Mozambique Belt, 491
multiple growth, 767
multiple metamorphism, 767

Namaqualand, 281
Namibia, 425
natural yoderite, 809
NCKFMASH, 169
Nd and Sr isotopes, 425
near-isothermal decompression (ITD), 541
New Zealand, 149, 395
Newfoundland, 711

Okiep Copper District, 281
Onsager coefficients, 607
Otago Schist, 395
oxygen isotope geothermometry, 223
oxygen isotopes, 425, 625, 749

paired metamorphic belts, 3
Pan-African high-*P* granulites, 491
Panafrican, 259
Pb step-leaching age, 403
peak metamorphic temperatures, 223
petrogenetic grid, 169
plagioclase, 675
polymetamorphism, 259, 281, 687
porphyroblast core-rim changes, 767
Precambrian, 641
Prepanafrican basement, 259
pressure solution, 415
Proterozoic tectonics, 687
Proterozoic, 259
P-T path, 97, 213, 541, 729
P-T paths, 3
P-T, 309
P-T-t paths, 475, 511
pumpellyite-actinolite facies, 128
pyrope, 541
pyroxene, 625
pyroxene granulite, 729

radiometric ages, 129
rapid unloading, 67
reaction mechanisms, 231
reequilibration, 247
regional metamorphism, 749
Renge belt, 129
restite, 53
retrogression, 511
ridge subduction, 3
Ryoke Belt, Japan, 3
Ryoke metamorphic belt, 23
Ryoke metamorphism, 39

Sanbagawa belt, 97, 117, 128
Sanbagawa low-grade metamorphism, 107
Sanbagawa metamorphism, 83
Sanbagawa type metamorphism, 475
Sangun belt, 129
sappharine granulite, 53
Schlingen folds, 403
shear zone, 197
silica solubility, 795
silicic pluton, 795
singularities, 169
South Harris, 819
spinel, 795
structural geology, 591
structure, 395
subduction zone, 247
Suo belt, 129
Sveconorwegian, 641
SW Japan, 107
synmagmatic folding, 403
syntectonic dykes, 403

tectonics, 83
tectonothermal history, 531
terrane amalgamation, 3
thermobarometry, 281, 491, 511
thermodynamic data, 309
Th-U-Pb system, 23
trace elements, 425
Tschermak component, 39

ultrahigh temperature, 541
U-Th-Pb geochronology, 149

Variscan belt, 379
volume diffusion of elements in garnet, 67

water, 795
Western Alps, 447
western Lachlan Fold Belt, 531
whiteschist, 809

zircon, 149

Author index

Adachi, M. *see* Suzuki, K.
Appel, P., Möller, A. & Schenk, V. High-pressure granulite facies metamorphism in the Pan-African belt of eastern Tanzania: *P-T-t* evidence against granulite formation by continent collision, 491
Arboleya, M. L. *see* Reche, J.
Arima, M. *see* Shaw, R. K.
Ashworth, J. R., Sheplev, V. S., Bryxina, N. A., Kolobov, V. Yu. & Reverdatto, V. V. Diffusion-controlled corona reaction and overstepping of equilibrium in a garnet granulite, Yenisey Ridge, Siberia, 231
Attoh, K. Models for orthopyroxene-plagioclase and other corona reactions in metanorites, Dahomeyide orogen, West Africa, 345

Baba, S. Proterozoic anticlockwise *P-T* path of the Lewisian Complex of South Harris, Outer Hebrides, NW Scotland, 819
Banno, S. *see* Wallis, S.

Banno:, S. Pumpellyite-actinolite facies of the Sanbagawa metamorphism, 117
Barnicoat, A. C. *see* Cliff, R. A.
Bell, T. H., Hickey, K. A. & Upton, G. J. G. Distinguishing and correlating multiple phases of metamorphism across a multiply deformed region using the axes of spiral, staircase and sigmoidal inclusion trails in garnet, 767
Biino, G. G. *see* Nussbaum, C.
Bodnar, R. *see* Invernizzi, C.
Bousquet, R., Oberhänsli, R., Goffe, B., Jolivet, L. & Vidal, O. High-pressure-low-temperature metamorphism and deformation in the Bündnerschiefer of the Engadine window: implications for the regional evolution of the eastern Central Alps, 657
Bowring, S. A. *see* Pedrick, J. N.
Briggs, W. D. *see* Reche, J.
Brown, M. Unpairing metamorphic belts: *P-T* paths and a tectonic model for the Ryoke Belt, southwest Japan, 3
Bryxina, N. A. *see* Ashworth, J. R.
Bucher, K. *see* Markl, G.
Buick, I. S., Cartwright, I. & Harley, S. L. The retrograde *P-T-t* path for low pressure granulites from the Reynolds Range, central Australia: petrological constraints and implications for low-*P*/high-*T* metamorphism, 511

Cartwright, I *see* Vry, J. K.
Cartwright, I. *see* Buick, I. S.
Cello, G. *see* Invernizzi, C.
Chen, N.-S., Sun, M., You, Z.-d. & Malpas, J. Well-preserved garnet growth zoning in granulite from the Dabie Mountains, central China, 213
Clarke, G. L. *see* Greenfield, J. E.
Cliff, R. A., Barnicoat, A. C. & Inger, S. Early Tertiary eclogite facies metamorphism in the Monviso Ophiolite, 447
Cox, S.F. *see* Streit, J. E.
Craw, D. Structural boundaries and biotite and garnet 'isograds' in the Otago and Alpine Schists, New Zealand, 395

Dietsch, C. *see* Reche, J.

Enami, M. Pressure-temperature path of Sanbagawa prograde metamorphism deduced from grossular zoning of garnet, 97

Foster, C. T. *see* Markl, G.
Fournelle, J. H. *see* Medaris, L. G.

Ghent, E. D. & Valley, J. W. Oxygen isotope study of quartz-Al_2SiO_5 pairs from the Mica Creek area, British Columbia: implications for the recovery of peak metamorphic temperatures, 223
Ghent, E. D. *see* Medaris, L. G.
Gibson, G. M. *see* Ireland, R.
Goffe, B. *see* Bousquet, R.
Goto:, J. *see* Hiroi, Y.
Greenfield, J. E., Clarke, G. L. & White, R. W. A sequence of partial melting reactions at Mt Stafford, central Australia, 363

Hamamoto, T. *see* Osanai, Y.
Handy, M. R. *see* Zurbriggen, R.
Harley, S. L. *see* Buick, I. S.
Harley, S. L. *see* Raith, J. G.
Harley, S. L. Ultrahigh temperature granulite metamorphism (1050 °C, 12 kbar) and decompression in garnet (Mg70)-orthopyroxene-sillimanite gneisses from the Rauer Group, East Antarctica, 541
Hickey, K. A. *see* Bell, T. H.
Hiroi, Y., Kishi, S., Nohara, T., Sato, K. & Goto:, J. Cretaceous high-temperature rapid loading and unloading in the Abukuma metamorphic terrane, Japan, 67
Hoernes, S. *see* Jung, S.
Hoffer, E. *see* Jung, S.
Hoinkes, G. *see* Neumayr, P.
Holland, T. J. B. & Powell, R. An internally-consistent thermodynamic data set for phases of petrological interest, 309
Holland, T. *see* Powell, R.

Ikeda, T. Progressive sequence of reactions of the Ryoke metamorphism in the Yanai district, southwest Japan: the formation of cordierite, 39
Inger, S. *see* Cliff, R. A.
Invernizzi, C., Vityk, M., Cello, G. & Bodnar, R. Fluid inclusions in high pressure/low temperature rocks from the Calabrian Arc (Southern Italy): the burial and exhumation history of the subduction-related Diamante-Terranova unit, 247
Ireland, R. & Gibson, G. M. T., SHRIMP monazite and zircon geochronology of high-grade metamorphism in New Zealand, 149
Ishizuka:, H. *see* Suzuki, S.

Jelinek, E. *see* Medaris, L. G.
Johnson, S. P. & Oliver, G. J. H. A second natural occurrence of yoderite, 809
Jolivet, L. *see* Bousquet, R.
Jung, S., Mezger, K., Masberg, P., Hoffer, E. & Hoernes, S. Petrology of an intrusion-related high-grade migmatite: implications for partial melting of metasedimentary rocks and leucosome-forming processes, 425

Kagami:, H. *see* Osanai, Y.
Kamber, B. S. *see* Zurbriggen, R.
Karlstrom, K. E. *see* Pedrick, J. N.
Khudeir, A. A. *see* Neumayr, P.
Kishi, S. *see* Hiroi, Y.
Kohn, M. J. & Valley, J. W. Effects of cation substitutions in garnet and pyroxene on equilibrium oxygen isotope fractionations, 625
Kolobov, V. Yu. *see* Ashworth, J. R.
Komatsu, M. *see* Wallis, S.
Kruhl, J. H. Reply, 142

Lagoeiro, L. E. Transformation of magnetite to hematite and its influence on the dissolution of iron oxide minerals, 415

Maishima, O. *see* Osanai, Y.
Malpas, J. *see* Chen, N.-S.
Markl, G., Foster, C. T. & Bucher, K. Diffusion-controlled olivine corona textures in granitic rocks from Lofoten, Norway: calculation of Onsager diffusion coefficients, thermodynamic modelling and petrological implications, 607
Marquer, D. *see* Nussbaum, C.
Martinez, F. J. *see* Reche, J.
Masberg, P. *see* Jung, S.
McCarthy, T. C. & Patino Douce, A. E. Empirical calibration of the silica – Ca-tschermak's – anorthite (SCAn) geobarometer, 675
Mcknight, S. *see* Offler, R.
Medaris, L. G., Fournelle, J. H., Ghent, E. D., Jelinek, E. & Mísař, Z. Prograde eclogite in the Gföhl Nappe, Czech

Republic: new evidence on Variscan high-pressure metamorphism, 563
Mezger, K. *see* Jung, S.
Mísař, Z. *see* Medaris, L. G.
Mogessie, A. *see* Neumayr, P.
Möller, A. *see* Appel, P.
Möller, C. Decompressed eclogites in the Sveconorwegian (-Grenvillian) orogen of SW Sweden: petrology and tectonic implications, 641
Morand, V. *see* Offler, R.

Nägler, T. F. *see* Zurbriggen, R.
Neumayr, P., Hoinkes, G., Puhl, J., Mogessie, A. & Khudeir, A. A. The Meatiq dome (Eastern Desert, Egypt) a Precambrian metamorphic core complex: petrological and geological evidence, 259
Nichols, G. T. & Wiebe, R. A. Desilication veins in the Cadillac Mountain granite (Maine, USA): a record of reversals in the SiO_2 solubility of H_2O-rich vapour released during subsolidus cooling, 795
Nishimura, Y. Geotectonic subdivision and areal extent of the Sangun belt, Inner Zone of Southwest Japan, 129
Nohara, T. *see* Hiroi, Y.
Nussbaum, C., Marquer, D. & Biino, G. G. Two subduction events in a polycyclic basement: Alpine and pre-Alpine high-pressure metamorphism in the Suretta nappe, Swiss Eastern Alps, 591

Oberhänsli, R. *see* Bousquet, R.
Offler, R., Mcknight, S. & Morand, V. Tectonothermal history of the western Lachlan Fold Belt, Australia: insights from white mica studies, 531
Okudaira, T. *see* Yoshino, T.
Okudaira, T., Takeshita, T. & Toriumi, M. Discussion: Prism-and basal-plane parallel subgrain boundaries in quartz: a microstructural geothermobarometer, 141
Oliver, G. J. H. *see* Johnson, S. P.
Osanai, Y., Hamamoto, T., Maishima, O. & Kagami, H. Sapphirine-bearing granulites and related high-temperature metamorphic rocks from the Higo metamorphic terrane, west-central Kyushu, Japan, 53

Patino Douce, A. E. *see* Mccarthy, T. C.
Pedrick, J. N., Karlstrom, K. E. & Bowring, S. A. Reconciliation of conflicting tectonic models for Proterozoic rocks of northern New Mexico, 687
Powell, R. *see* Holland, T. J. B.
Powell, R. *see* Worley, B.
Powell, R., Holland, T. & Worley, B. Calculating phase diagrams involving solid solutions via non-linear equations, with examples using THERMOCALC, 577
Puhl, J. *see* Neumayr, P.

Raith, J. G. & Harley, S. L. Low-*P*/high-*T* metamorphism in the Okiep Copper District, Western Namaqualand, South Africa, 281
Reche, J., Martinez, F. J., Arboleya, M. L., Dietsch, C. & Briggs, W. D. Evolution of a kyanite-bearing belt within a HT-LP orogen: the case of NW Variscan Iberia, 379
Reverdatto, V. V. *see* Ashworth, J. R.

Sato, K. *see* Hiroi, Y.
Schenk, V. *see* Appel, P.
Shaw, R. K. & Arima, M. A corundum-quartz assemblage from the Eastern Ghats Granulite Belt, India: evidence for high *P-T* metamorphism?, 189
Sheplev, V. S. *see* Ashworth, J. R.
Simões, L. S. A. *see* Trouw, R. A. J.
Simpson, G. D. H. Dehydration-related deformation during regional metamorphism, NW Sardinia, Italy, 457
Stallard, A. Episodic porphyroblast growth in the Fleur de Lys Supergroup, Newfoundland: timing relative to the sequential development of multiple crenulation cleavages, 711
Streit, J. E. & Cox, S.F. Fluid infiltration and volume change during mid-crustal mylonitization of Proterozoic granite, King Island, Tasmania, 197
Sun, M. *see* Chen, N.-S.
Suzuki, K. & Adachi, M. Denudation history of the high *T*/*P* Ryoke metamorphic belt, southwest Japan: constraints from CHIME monazite ages of gneisses and granitoids, 23
Suzuki, S. & Ishizuka, H. Low-grade metamorphism of the Mikabu and northern Chichibu belts in central Shikoku, SW Japan: Implications for the areal extent of the Sanbagawa low-grade metamorphism, 107

Takeshita, T. *see* Okudaira, T.
Toriumi, M. *see* Yoshino, T.
Toriumi:, M. *see* Okudaira, T.
Trouw, R. A. J., Simões, L. S. A. & Valladares, C. S. Metamorphic evolution of a subduction complex, South Shetland Islands, Antarctica, 475

Upton, G. J. G. *see* Bell, T. H.

Valladares, C. S. *see* Trouw, R. A. J.
Valley, J. W. *see* Ghent, E. D.
Valley, J. W. *see* Kohn, M. J.
Vidal, O. *see* Bousquet, R.
Vityk, M. *see* Invernizzi, C.
Vry, J. K. & Cartwright, I. Stable isotopic evidence for fluid infiltration during contact metamorphism in a multiply-metamorphosed terrane: the Reynolds Range, Arunta Block, central Australia, 749

Wallis, S, Banno, S. & Komatsu, M. Mid to deep crustal processes in the island arc setting: the metamorphic belts of Japan, 1
Wallis, S. Exhuming the Sanbagawa metamorphic belt: the importance of tectonic discontinuities, 83
White, R. W. *see* Greenfield, J. E.
Wiebe, R. A. *see* Nichols, G. T.
Worley, B. & Powell, R. Singularities in NCKFMASH (Na_2O-CaO-K_2O-FeO-MgO-Al_2O_3-SiO_2-H_2O), 169
Worley, B. *see* Powell, R.

Yamamoto, H. *see* Yoshino, T.
Yoshino, T., Yamamoto, H., Okudaira, T. & Toriumi, M. Crustal thickening of the lower crust of the Kohistan arc (N. Pakistan) deduced from Al zoning in clinopyroxene and plagioclase, 729
You, Z.-d. *see* Chen, N.-S.

Zurbriggen, R., Kamber, B. S., Handy, M. R. & Nägler, T. F. Dating synmagmatic folds: a case study of Schlingen structures in the Strona-Ceneri Zone (Southern Alps, northern Italy), 403